

Correction: Reproductive, Lifestyle, and Anthropometric Risk Factors for Cancer in Elderly Women

In this article (Cancer Epidemiol Biomarkers Prev 2013;22:681–687), which was published in the April 2013 issue of *Cancer Epidemiology, Biomarkers & Prevention* (1), the column in Table 2 with the number of samples for the ≥ 75 year age group was erroneously moved into the P value column for the < 75 year age group and all subsequent columns were shifted to the left due to a production error. The correct version of the table appears below. The publisher regrets the error.

Table 2. Potential risk factors for ovarian, colon, rectal, and breast cancers by age band at diagnosis^a

	<75 years old				≥ 75 years old				
	Cases	Person-years	HR (95%CI) ^b	P or P_{trend}	Cases	Person-years	HR (95%CI) ^b	P or P_{trend}	$P_{\text{interaction}}^c$
Ovarian Cancer									
Age at baseline									
<60	92	159,819	1.0		21	43,137	1.0		
60–64	58	119,523	0.87 (0.61–1.25)		46	78,298	1.31 (0.75–2.27)		
≥ 65	37	62,017	1.20 (0.77–1.87)	0.64	68	93,486	1.68 (0.98–2.88)	0.047	0.30
Physical activity level									
Low	71	159,835	1.0		57	42,905	1.0		
Moderate	53	91,546	1.27 (0.88–1.83)		44	88,953	1.23 (0.82–1.85)		
High	58	83,840	1.55 (1.08–2.22)	0.02	30	83,063	0.97 (0.62–1.53)	0.97	0.12
Family history of ovarian cancer ^d									
No	173	332,244	1.0		132	209,471	1.0		
Yes	14	9,118	3.16 (1.83–5.45)	<0.0001	3	5,450	0.93 (0.30–2.93)	0.90	0.06
Number of live births									
0	23	27,255	1.0		13	19,697	1.0		
1–2	59	101,834	0.69 (0.42–1.13)		41	70,019	0.91 (0.48–1.74)		
3–4	74	138,568	0.60 (0.37–0.96)		59	83,250	1.13 (0.60–2.11)		
5+	31	71,782	0.45 (0.25–0.79)	0.005	21	40,477	0.85 (0.41–1.74)	0.98	0.09
Colon Cancer									
Age at baseline									
<60	236	201,656	1.0		109	56,755	1.0		
60–64	228	147,680	1.57 (1.29–1.92)		281	99,470	1.29 (1.02–1.64)		
≥ 65	140	74,351	2.28 (1.78–2.92)	<0.0001	317	115,039	1.26 (0.99–1.60)	0.14	0.0002
Body mass index (BMI)									
<25	198	167,647	1.0		244	106,267	1.0		
25–<30	235	156,583	1.28 (1.06–1.56)		274	103,759	1.18 (0.99–1.41)		
≥ 30	171	99,157	1.44 (1.16–1.78)	0.0006	189	61,237	1.38 (1.13–1.69)	0.001	0.69
Smoking									
Never	370	274,486	1.0		495	191,764	1.0		
Past	130	80,119	1.27 (1.04–1.56)		115	47,178	0.97 (0.79–1.19)		
Current	96	62,381	1.27 (1.01–1.60)	0.01	79	27,915	1.22 (0.96–1.56)	0.22	0.53
Estrogen use									
Never	419	262,588	1.0		454	166,168	1.0		
Ever	185	160,799	0.71 (0.60–0.85)	0.0002	253	105,196	0.88 (0.75–1.03)	0.11	0.10

(Continued on the following page)

Table 2. Potential risk factors for ovarian, colon, rectal, and breast cancers by age band at diagnosis^a (Cont'd)

	<75 years old				≥75 years old				
	Cases	Person-years	HR (95%CI) ^b	P or P _{trend}	Cases	Person-years	HR (95%CI) ^b	P or P _{trend}	P _{interaction} ^c
History of diabetes									
No	553	399,956	1.0		655	258,939	1.0		
Yes	51	22,877	1.35 (0.99–1.84)	0.06	51	11,928	1.59 (1.18–2.14)	0.002	0.54
Aspirin or NSAID use^e									
No	100	60,565	1.0		125	40,488	1.0		
Yes	320	288,148	0.70 (0.56–0.89)	0.003	460	188,029	0.78 (0.64–0.95)	0.02	0.45
Rectal Cancer									
Age at baseline									
<60	73	202,603	1.0		23	57,570	1.0		
60–64	65	147,866	1.40 (0.97–2.01)		48	101,157	1.11 (0.66–1.89)		
≥65	45	74,575	2.34 (1.51–3.63)	0.0002	61	117,037	1.18 (0.69–2.00)	0.56	0.05
Smoking									
Never	105	275,540	1.0		90	194,832	1.0		
Past	38	80,560	1.23 (0.84–1.80)		26	48,062	1.23 (0.80–1.91)		
Current	35	62,541	1.68 (1.13–2.49)	0.01	14	28,401	1.19 (0.67–2.11)	0.36	0.54
Estrogen use									
Never	129	263,669	1.0		87	169,110	1.0		
Ever	54	161,375	0.70 (0.50–0.96)	0.03	45	106,654	1.00 (0.67–1.48)	1.00	0.37
Oral contraceptive use									
No	140	332,079	1.0		122	234,829	1.0		
Yes	43	92,964	1.27 (0.88–1.83)	0.20	10	40,935	0.46 (0.23–0.91)	0.03	0.04
Breast Cancer									
Age at baseline									
<60	687	196,272	1.0		207	53,319	1.0		
60–64	613	143,414	1.35 (1.19–1.52)		414	93,515	1.10 (0.92–1.32)		
≥65	293	72,946	1.35 (1.15–1.58)	<0.0001	450	110,055	1.07 (0.89–1.29)	0.59	0.006
Body mass index (BMI)									
<25	547	163,218	1.0		353	100,980	1.0		
25–<30	606	152,625	1.18 (1.04–1.33)		449	98,029	1.30 (1.12–1.52)		
≥30	440	96,579	1.35 (1.17–1.55)	<0.0001	269	57,880	1.35 (1.13–1.62)	0.001	0.80
Waist-hip-ratio (WHR)									
Q1 (0.335–0.777)	383	110,216	1.0		246	63,163	1.0		
Q2 (>0.777–0.832)	367	104,033	0.97 (0.83–1.12)		258	65,248	0.99 (0.82–1.18)		
Q3 (>0.832–0.892)	388	100,772	1.01 (0.87–1.18)		271	65,577	0.99 (0.82–1.19)		
Q4 (>0.892–2.836)	448	95,813	1.18 (1.01–1.38)	0.02	290	61,990	1.05 (0.87–1.28)	0.63	0.26
Family history of breast cancer^d									
No	1,138	318,733	1.0		732	198,514	1.0		
Yes	455	93,899	1.35 (1.21–1.51)	<0.0001	339	58,374	1.57 (1.37–1.79)	<0.0001	0.09
Age at menarche									
≤12	725	175,292	1.0		432	105,074	1.0		
>12	855	232,907	0.90 (0.81–1.00)	0.048	631	148,502	1.06 (0.94–1.21)	0.34	0.05
Age at menopause									
<50	778	215,226	1.0		463	130,677	1.0		
≥50	815	197,407	1.15 (1.04–1.27)	0.008	608	126,211	1.35 (1.19–1.53)	<0.0001	0.04
Number of live births									
0	160	36,201	1.0		107	25,838	1.0		
1–2	511	125,740	0.57 (0.39–0.84)		384	84,903	0.70 (0.44–1.11)		
3–4	660	166,743	0.58 (0.41–0.82)		409	98,813	0.64 (0.42–0.98)		
5+	262	83,948	0.45 (0.32–0.65)	<0.0001	171	47,335	0.57 (0.37–0.88)	0.001	0.50

(Continued on the following page)

Table 2. Potential risk factors for ovarian, colon, rectal, and breast cancers by age band at diagnosis^a (Cont'd)

	<75 years old				≥75 years old				
	Cases	Person-years	HR (95%CI) ^b	P or P _{trend}	Cases	Person-years	HR (95%CI) ^b	P or P _{trend}	P _{interaction} ^c
Age at first live birth									
<20	285	86,040	1.0		159	44,593	1.0		
20–24	723	193,329	1.12 (0.98–1.29)		463	112,881	1.18 (0.98–1.42)		
25–29	308	74,508	1.17 (0.99–1.39)		247	55,451	1.18 (0.95–1.46)		
≥30	108	20,329	1.45 (1.14–1.83)	0.003	89	16,613	1.40 (1.06–1.85)	0.03	0.43
Nulliparous	160	36,201	1.06 (0.84–1.34)		107	25,838	1.05 (0.78–1.42)		
Smoking									
Never	998	267,781	1.0		744	181,870	1.0		
Past	313	78,153	1.06 (0.93–1.21)		209	44,314	1.17 (1.00–1.38)		
Current	265	60,483	1.25 (1.08–1.44)	0.004	100	26,458	0.99 (0.80–1.24)	0.43	0.22
Alcohol consumption									
No	832	228,828	1.0		631	149,329	1.0		
Yes	761	183,805	1.20 (1.08–1.33)	0.0007	440	107,559	0.98 (0.86–1.11)	0.73	0.02
History of hysterectomy									
No	1,088	276,458	1.0		703	174,329	1.0		
Yes	505	136,174	1.02 (0.91–1.16)	0.71	368	82,530	1.31 (1.13–1.51)	0.0003	0.03
Aspirin or NSAID use ^e									
No	256	56,990	1.0		159	36,932	1.0		
Yes	1,040	280,606	0.82 (0.71–0.94)	0.005	737	177,556	0.94 (0.78–1.12)	0.46	0.28

^aIncludes only risk factors where the association was significant in at least one of the risk sets. All remaining risk factors are included in the Supplementary Tables.

^bAdjusted for age at baseline, BMI (kg/m²), physical activity level (low, moderate, high), smoking (never, past, current), age at menarche (ovarian, breast), estrogen use (colon, rectal), WHR (breast), age at menopause (breast), number of live births (breast), age at first live births (breast) and alcohol intake (breast).

^cP values for tests whether HRs differ by the follow-up (<75 year old vs. ≥75 year old).

^dFamily history among first and second-degree relatives.

^eAnalysis was restricted to women who were alive and responded to the follow-up 3 (1992) questionnaire.

Reference

1. Poynter JN, Inoue-Choi M, Ross JA, Jacobs DR Jr, Robien K. Reproductive, lifestyle, and anthropometric risk factors for cancer in elderly women. *Cancer Epidemiol Biomarkers Prev* 2013;22:681–7.

Published online August 1, 2013.

doi: 10.1158/1055-9965.EPI-13-0457

©2013 American Association for Cancer Research.

Cancer Epidemiology, Biomarkers & Prevention

AACR American Association
for Cancer Research

Correction: Reproductive, Lifestyle, and Anthropometric Risk Factors for Cancer in Elderly Women

Cancer Epidemiol Biomarkers Prev 2013;22:1476-1478.

Updated version Access the most recent version of this article at:
<http://cebp.aacrjournals.org/content/22/8/1476>

Cited articles This article cites 1 articles, 1 of which you can access for free at:
<http://cebp.aacrjournals.org/content/22/8/1476.full#ref-list-1>

E-mail alerts [Sign up to receive free email-alerts](#) related to this article or journal.

Reprints and Subscriptions To order reprints of this article or to subscribe to the journal, contact the AACR Publications Department at pubs@aacr.org.

Permissions To request permission to re-use all or part of this article, use this link
<http://cebp.aacrjournals.org/content/22/8/1476>.
Click on "Request Permissions" which will take you to the Copyright Clearance Center's (CCC) Rightslink site.