

Epidemiology of Diet and Melanoma—Letter

Ashar Dhana¹, Hsi Yen^{2,3}, Abrar A. Qureshi^{4,5,6}, and Eunyoung Cho^{4,5,6}

In a recent review, Yang and colleagues summarized epidemiologic studies on diet and melanoma (1). We thank the authors for drawing attention to this topic given the rising incidence of melanoma worldwide. We would like to add several observations regarding the relationship between folate/folic acid and melanoma.

The authors described a meta-analysis of 13 randomized controlled trials, which found no association between folic acid supplementation and melanoma risk (2). However, the results should be interpreted with caution, because few melanoma cases ($n = 126$) were included and follow-up was relatively short (mean trial duration was 5.2 years). The authors described another meta-analysis of 3 trials, which found an inverse association between folic acid supplementation and melanoma risk (3). However, even fewer melanoma cases ($n = 38$) were included, and all three studies were included in the former meta-analysis (2). Therefore, although these two meta-analyses were published in the same year with different results, the larger meta-analysis may be more appropriate for interpretation (2).

The authors also mentioned a prospective cohort study from France that reported a positive association between dietary folate intake and overall skin cancer risk (HR for top vs. bottom tertile,

1.79; 95% confidence interval, 1.07–2.99; ref. 4). However, of the 144 skin cancer cases included, only 20 were melanoma. Thus, it is difficult to extrapolate the findings to melanoma specifically, because other types of skin cancers may have driven the association. In addition, the study could have been strengthened if the analysis had further accounted for citrus consumption, a potential confounder. Citrus fruits are major sources of dietary folate, and we found that citrus consumption was positively associated with melanoma and nonmelanoma skin cancer risk in two prospective studies (5, 6). As the direction of confounding is likely positive and biased away from the null, adjustment may attenuate or even nullify any association.

In fact, we recently found a positive association between dietary folate intake and melanoma risk, and the magnitude of effect was attenuated after adjusting for citrus consumption (7). We, however, discovered that total folate intake (which includes dietary and supplemental intake) was not associated with melanoma risk. Thus, findings regarding dietary folate intake may be because of other components found in folate-rich foods rather than folate per se. Furocoumarins in citrus fruits may in part be responsible for the positive association because of their potential photocarcinogenic properties.

The association between folate intake and melanoma risk remains unclear. Because new randomized trials are unfeasible given the potential adverse effects of folate on melanoma, further observational studies are warranted.

Disclosure of Potential Conflicts of Interest

A.A. Qureshi reports receiving a commercial research grant from Sanofi and Regeneron, has ownership interest (including stock, patents, etc.) in Nix-Tix, and is a consultant/advisory board member for Eli Lilly, Amgen, AbbVie, CDC, Janssen, Merck, Novartis, and Pfizer. No potential conflicts of interest were disclosed by other authors.

Acknowledgments

The work was supported by the NIH (CA198216).

Received August 8, 2018; revised September 5, 2018; accepted September 17, 2018; published first February 4, 2018.

¹Division of Dermatology, Groote Schuur Hospital and University of Cape Town, Cape Town, South Africa. ²Department of Dermatology, Chang Gung Memorial Hospital Linkou and Taipei Branch, Taoyuan, Taiwan. ³College of Medicine, Chang Gung University, Taoyuan, Taiwan. ⁴Channing Division of Network Medicine, Department of Medicine, Brigham and Women's Hospital and Harvard Medical School, Boston, Massachusetts. ⁵Department of Dermatology, The Warren Alpert Medical School, Brown University, Providence, Rhode Island. ⁶Department of Epidemiology, Brown University School of Public Health, Providence, Rhode Island.

Corresponding Author: Eunyoung Cho, Brown University, Box G-D, Providence, RI 02903. Phone: 401-863-5895; Fax: 401-863-5799; E-mail: eunyoung_cho@brown.edu

doi: 10.1158/1055-9965.EPI-18-0882

©2018 American Association for Cancer Research.

References

1. Yang K, Fung TT, Nan H. An epidemiological review of diet and cutaneous malignant melanoma. *Cancer Epidemiol Biomarkers Prev* 2018;27:1115–22.
2. Vollset SE, Clarke R, Lewington S, Ebbing M, Halsey J, Lonn E, et al. Effects of folic acid supplementation on overall and site-specific cancer incidence during the randomised trials: meta-analyses of data on 50,000 individuals. *Lancet* 2013;381:1029–36.
3. Qin X, Cui Y, Shen L, Sun N, Zhang Y, Li J, et al. Folic acid supplementation and cancer risk: a meta-analysis of randomized controlled trials. *Int J Cancer* 2013;133:1033–41.
4. Donnenfeld M, Deschasaux M, Latino-Martel P, Diallo A, Galan P, Herberg S, et al. Prospective association between dietary folate intake

- and skin cancer risk: results from the Supplementation en Vitamines et Minéraux Antioxydants cohort. *Am J Clin Nutr* 2015;102:471–8.
5. Wu S, Han J, Feskanich D, Cho E, Stampfer MJ, Willett WC, et al. Citrus consumption and risk of cutaneous malignant melanoma. *J Clin Oncol* 2015;33:2500–8.
6. Wu S, Cho E, Feskanich D, Li WQ, Sun Q, Han J, et al. Citrus consumption and risk of basal cell carcinoma and squamous cell carcinoma of the skin. *Carcinogenesis* 2015;36:1162–8.
7. Dhana A, Yen H, Li T, Holmes MD, Qureshi AA, Cho E. Intake of folate and other nutrients related to one-carbon metabolism and risk of cutaneous melanoma among US women and men. *Cancer Epidemiol* 2018;55:176–83.

Cancer Epidemiology, Biomarkers & Prevention

AACR American Association
for Cancer Research

Epidemiology of Diet and Melanoma—Letter

Ashar Dhana, Hsi Yen, Abrar A. Qureshi, et al.

Cancer Epidemiol Biomarkers Prev 2019;28:420.

Updated version Access the most recent version of this article at:
<http://cebp.aacrjournals.org/content/28/2/420>

Cited articles This article cites 7 articles, 3 of which you can access for free at:
<http://cebp.aacrjournals.org/content/28/2/420.full#ref-list-1>

E-mail alerts [Sign up to receive free email-alerts](#) related to this article or journal.

Reprints and Subscriptions To order reprints of this article or to subscribe to the journal, contact the AACR Publications Department at pubs@aacr.org.

Permissions To request permission to re-use all or part of this article, use this link <http://cebp.aacrjournals.org/content/28/2/420>. Click on "Request Permissions" which will take you to the Copyright Clearance Center's (CCC) Rightslink site.