

Supplementary Table I. Description of potential predictors

Potential predictor	Data collected in survey cycle(s)	Item(s)	Response choices	Recorded
Sex	1-20	Are you a boy or a girl?	Male, female	-
Age	1-20	Date of birth, Date of survey		-
Language spoken at home	1-20	What language do you speak most often at home?	English, French, English and French, other	French, other
Single-family parent	1-20	Do you live with your: biologic mother, biologic father, step-mother, step-father, aunt(s), uncle(s), grandmother(s), grandfather(s)	no, yes (for each person)	no, yes (single-parent family)
Parent(s) university-educated	13,17	How much education has your mother/father had?	Did not finish high school, high school graduate, vocational, technical school, CEGEP, completed university, other, don't know	no, yes (1-2 parent(s) university-educated)
Parent(s) smoke	1-20	Does your mother/father currently smoke cigarettes?	no, yes (for each parent)	no, yes (1-2 parents smoke)
Sibling(s) smoke	1-20	You have ___ sisters/ ___ brothers who smoke cigarettes.	0,1,2,3,4,5,6+	no, yes ( $\geq 1$ sibling smokes)
Friends smoke	1-20	How many of the people whom you usually hang out with smoke cigarettes?	none, a few, about half, more than half, most or all	no (none), yes ( a few, about half, more than half, most or all)
Teachers/school staff smoke	12,16,20	How true is the following for you: I often see teachers or staff smoking near this school	very true, a bit true, not at all true	no (not at all true), yes (a bit/very true)
Family stress	1-20	During the past 3 months, have you been worried or stressed by: (i) your parents separating or divorcing; (ii) your relationship with your father; (iii) your relationship with your mother; (iv) your relationship with your brother(s)/sister(s) (v) your new family (parents remarried)	not at all/not applicable (1), a little bit (2), quite a bit (3), a whole lot (4).	Responses to each item were summed and divided by the number of items responded to create a continuous score which ranged from 1 to 4
Non family-related stress	1-20	During the past 3 months, have you been worried or stressed by: (i) breaking up with your boyfriend/girlfriend; (ii) your relationship with your friends; (iii) a health problem (such as acne or asthma); (iv) sex; (v) school work	not at all/not applicable (1), a little bit (2), quite a bit (3), a whole lot (4).	Responses to each item were summed and divided by the number of items responded to create a continuous score which ranged from 1 to 4
Depression symptoms	1-20	During the past three months how often have you: (i) felt too tired to do things (ii) had trouble going to sleep or staying asleep (iii) felt unhappy, sad or depressed (iv) felt hopeless about the future (v) felt nervous or tense (vi) worried too much about things	never (1), rarely (2), sometimes (3), often (4).	Responses to each item were summed and divided by the number of items responded to create a

				continuous score which ranged from 1 to 4
Impulsivity	14,18	How true are each of the following statements for you: (i) I often do things without stopping to think (ii) I am an impulsive person (iii) I often talk quickly, before thinking things out (iv) I often get involved in things I later wish I could get out of (v) I need to use a lot of self-control to keep out of trouble (vi) I often get into trouble because I do things without thinking (vii) I get carried away by new and exciting ideas, but I don't think of the possible problems	not at all true (1), a little true (2), somewhat true (3), quite true (4), very true (5).	Responses to each item were summed and divided by the number of items responded to create a continuous score which ranged from 1 to 5
Novelty-seeking	14,18	How true are each of the following statements for you: (i) I often try new things just for fun or thrills, even if most people think it is a waste of time (ii) When nothing new is happening, I usually start looking for something that is exciting (iii) I can usually get people to believe me, even when what I'm saying isn't quite true (iv) I often do things based on how I feel at the moment (v) I sometimes get so excited that I lose control of myself (vi) I like it when people can do whatever they want, without strict rules and regulations (vii) I often follow my instincts, without thinking through all the details (viii) I can do a good job of "stretching the truth" when I'm talking to people (ix) I change my interests a lot, because my attention often shifts	not at all true (1), a little true (2), somewhat true (3), pretty true (4), very true (5).	Responses to each item were summed and divided by the number of items responded to create a continuous score which ranged from 1 to 5
Self-esteem	12	Indicate the response which best describes your situation. (i) I think I am someone who has something valuable to offer, at least as much as other people do (ii) I think I have a certain number of good qualities (iii) Everything considered, I tend to think I'm a failure (iv) I think I am capable of doing things as well as other people my age (v) There's little reason to be proud of myself; (vi) I have a positive attitude towards myself; (vii) I find it difficult to accept myself as I am; (viii) Sometimes I think I'm really useless; (ix) I've thought of myself as a good-for-nothing on occasion	not at all true (1), a little true (2), very true (3).	Responses to each item were summed and divided by the number of items responded to create a continuous score which ranged from 1 to 3
Worrying about weight	1-20	During the past 3 months, have you been worried or stressed about your weight?	not at all/not applicable, a little bit, quite a bit, a whole lot.	no (not at all), yes (a little bit or more)
Cigarette package warnings make me afraid to smoke	13	How true is the following for you: Warnings on cigarette packages make me afraid to smoke	very true, a bit true, not at all true.	no (not at all true), yes (a bit true, very true)
Cigarette advertisements make me want to smoke	13	How true is the following for you: Cigarette advertisements make me want to smoke	very true, a bit true, not at all true.	no (not at all true), yes (a bit true, very true)
Asthma	12,16,20	Do you have any of the following chronic health problems that have been diagnosed or confirmed by a doctor or other health professional? A 'chronic health problem' means a health problem that has lasted or will probably last for 6 months or more: Asthma	no, yes	-
Overweight	1,12,19	Height and weight were measured by technicians trained according to a standardized protocol. Two measures of height to the nearest 0.1 cm and weight to the nearest 0.2 kg were obtained for each subject. If discrepancies > 0.5 cm for height or 0.2 kg for weight were observed, a third measure was obtained. The	BMI (weight (kg)/height (m) <sup>2</sup> ) ≥85 <sup>th</sup> age and sex-specific percentile	no, yes

		average of the two closest measures was recorded.		
Alcohol use	1-20	During the past 3 months, how often did you drink alcohol (beer, wine, hard liquor)	never, a bit to try, once or a couple of times a month, once or a couple of times a week, every day	no, yes (a bit to try or more)
Use tobacco products other than cigarettes	1-20	During the past 3 months, how often did you: (i) smoke a cigar or cigarillo; (ii) use chewing tobacco or snuff	never, a bit to try, once or a couple of times a month, once or a couple of times a week, every day	no (never), yes (a bit to try or more)
Illicit drug use	21	Have you ever done any of the following? (i) used marijuana, cannabis, hashish; (ii) used cocaine; (iii) used speed (amphetamines); (iv) used ecstasy (MDMA) or other similar drugs; (v) used hallucinogens (PCP, LSD (acid), mushrooms); (vi) used inhalants (glue, gasoline); (vii) used heroin (smack, junk). If yes, how old were you when you did it the first time (for each illicit drug)?	no, yes (for each illicit drug), age coded as is	No (before survey cycle that corresponds to age of first use), yes (at and after survey cycle that corresponds to age of first use)
Participate in light physical activity (LPA)	1-20	Think about the physical activities that you did last week from Monday to Sunday outside your regular school gym class. For each activity that you did for 5 minutes or more at one time, mark an "X" to show the day(s) on which you did that activity (list of 29 different activities).	no, yes for each activity, Monday to Sunday. Two of the 29 activities were designated light (i.e., <3 METs).	Each activity was summed to create a continuous score (possible range 0-14)
Participate in moderate physical activity (MPA)	1-20	Think about the physical activities that you did last week from Monday to Sunday outside your regular school gym class. For each activity that you did for 5 minutes or more at one time, mark an "X" to show the day(s) on which you did that activity (list of 29 different activities).	no, yes for each activity, Monday to Sunday. 21 of 29 activities were designated moderate (i.e., 3-6 METs).	Each activity was summed to create a continuous score (possible range 0-147)
Participate in vigorous physical activity (VPA)	1-20	Think about the physical activities that you did last week from Monday to Sunday outside your regular school gym class. For each activity that you did for 5 minutes or more at one time, mark an "X" to show the day(s) on which you did that activity (list of 29 different activities).	no, yes for each activity, Monday to Sunday. 6 of 29 activities were designated vigorous (i.e., >6 METs).	Each activity was summed to create a continuous score (possible range 0-42)
Participate in team sports	1-20	Since September of this school year, did you belong to any of the following intramural or extramural school sports teams (teams that were not part of your regular gym class)...? (list of 13 different teams). Now think about sports teams and lessons outside of school. In the past 3 months, did you belong to a...? (list of 12 different teams)	no, yes (for each team or lesson)	no, yes (≥1 team)
TV per week (hours)	1-20	On weekdays, I usually watch ___ hour(s) of television a day. On weekends, I usually watch ___ hour(s) of television a day.	no. hours TV per weekday, no. hours TV per weekend	no. hours TV per week
Tolerance	1-20	Compared to when I first started smoking, I can smoke much more now before I start to feel nauseated or ill.	not at all true, a bit true, very true	-
Other ND symptoms	1-20	1. In the past 3 months, did you seriously try to quit smoking completely and forever?  2. How often do you have cravings to smoke cigarettes?  3. How physically addicted to smoking cigarettes are you?  4. How mentally addicted to smoking cigarettes are you?	I quit completely and have remained non-smoking ever since (0); I never tried to quit (1); yes, I tried to quit but failed (2) Never (0), very rarely (1), sometimes (2), often (3), very often (4) not at all (0), a little addicted (1), quite addicted (2), very addicted (3) not at all (0), a little addicted (1), quite addicted (2), very addicted (3)	Responses to all items were summed to create a continuous score (possible range 0 to 33).

		<p>5. How often have you felt like you really need a cigarette?</p> <p>6. Do you find it difficult not to smoke in places where it's not allowed (at a movie theatre, at home if your parents don't know you smoke)?</p> <p>7. If you are sick with a bad cold or sore throat, do you smoke?</p> <p>8. How deeply do you usually inhale the smoke?</p> <p>9. How true is the following statement for you? Cigarettes are good for dealing with boredom</p> <p>10. Do you smoke cigarettes now because it is really hard to quit?</p> <p>How true are each of the following statements for you?</p> <p>11. I often run out of cigarettes quicker than I thought I would</p> <p>12. I spend a lot of time getting cigarettes (going out of my way to a store where I know they will sell to me; trying to find someone who will buy them for me)</p> <p>13. I spend a lot of time smoking cigarettes (chain smoking, smoking a lot throughout the day)</p> <p>14. When you see other kids your age smoking cigarettes, how easy is it for you not to smoke?</p>	<p>never (0), rarely (1), sometimes (2), often (3)</p> <p>not at all/don't know (0), a bit difficult (1), very difficult (2)</p> <p>no, I don't have to, I smoke so little (0); no, I stop smoking when I'm sick (0); yes, but I cut down on the amount I smoke (1); yes, I smoke the same amount when I am sick (2)</p> <p>just into my mouth (0); back into my throat (0); into my lungs shallow (1); into my lungs deep (2)</p> <p>not at all true (0), a bit true (1), very true (2)</p> <p>I don't know/I smoke so little/I quit (0); no, it is not hard to quit (0); never tried to quit/I don't want to quit (0); yes sometimes, often/always (1)</p> <p>not at all true (0), a bit true (1), very true (2)</p> <p>very easy (0), quite easy (1), a bit difficult (2), very difficult (3)</p>	
Self-medication	1-20	How true are each of the following statements for you? (i) I can function much better in the morning after I've had a cigarette; (ii) When I'm feeling down, a cigarette makes me feel good; (iii) A cigarette gives me energy when I'm tired; (iv) Smoking cigarettes helps me concentrate on my homework (v) Smoking cigarettes relieves tension when I am stressed	not at all true (0), a bit true (1), very true (2).	Responses were summed to create a continuous score (possible range 0 to 10)
Withdrawal symptoms	1-20	Think about the times when you have cut down or stopped using cigarettes or when you haven't been able to smoke for a long period (like most of the day). How often did you experience the following? (i) Feeling irritable or angry; (ii) Feeling restless; (iii) Feeling nervous, anxious, or tense; (iv) Trouble concentrating; (v) Feeling a strong urge or need to smoke; (vi) Trouble sleeping	Never (0), rarely (1), sometimes (2), often (3)..	Responses were summed to create a continuous withdrawal score (possible range 0 to 18)
Tolerance of smoking at school	16	<p>1. What is the school policy for teachers regarding smoking on school property?</p> <p>2. What is the current school policy for students regarding smoking on school property?</p> <p>3. Have any outside speakers come to your school this</p>	<p>No smoking anywhere on school property (0), can smoke in a specific location(s) outside the school building (1); other (2)</p> <p>No smoking in site of school property (0); No smoking anywhere on school property (1); students in grades 7-8 cannot smoke anywhere on school property; students in grade 9-11 can smoke outside the building in designated locations (2); Students can smoke anywhere outside of school (3)</p> <p>No (1); yes (0)</p>	Responses to each item were summed to create a tolerance score for each school (possible range 1 to 16). Lower scores indicate less tolerance of smoking. ≤9.0 = low

		<p>year to talk with students about smoking?</p> <p>4. Does your school distribute a written guide or handbook to students that describes the school smoking policy? No (1); yes (0)</p> <p>5. Have any students been warned, given a suspension, or otherwise disciplined by the school this year for smoking on school property? No (1); yes (0)</p> <p>6. Is tobacco control education (i.e., tobacco control curriculum and/or activities) a priority in your school? Very low priority (1); low priority (2); moderate priority (3); high priority (4); very high priority (5)</p> <p>7. Is tobacco control education available to the students in your school? No (1); yes (0)</p> <p>8. Approximately how many teachers or staff (i.e., school nurse) in your school are involved in tobacco control education? Any (0); none (1)</p> <p>9. Are there any activities or materials available at your school to help students quit smoking? No (1); yes (0)</p>		tolerance (median), >9.0 = high tolerance
Tolerance of smoking in local corner store	16	Data on 7 indicators collected by direct observation in corner stores within 1-mile of study schools, including corner store: (i) sells tobacco; (ii) sells tobacco products other than behind the counter only; (iii) has vending machines selling cigarettes; (iv) permits smoking inside premises; (v) number of no-smoking signs; (vi) has no signs indicating cigarettes not sold to minors; (vii) mean number of tobacco ads.	School neighborhoods were ranked from 1 to 10 on each indicator. Ranks for each school were summed to create a corner store intolerance score. Lower scores indicate lower tolerance.	Recoded as a binary indicator with cutoff of median $\leq 0.25$ (median)
Tolerance of smoking in local restaurant	16	Data on 7 indicators collected by direct observation in restaurants located within 1-mile of study schools, including restaurant: (i) sells tobacco products; (ii) sells tobacco products other than behind the counter only; (iii) has vending machines selling cigarettes; (iv) permits smoking inside premises; (v) number of no-smoking signs; (vi) has no signs indicating that cigarettes are not sold to minors; (vii) mean number of tobacco ads.	School neighborhoods were ranked from 1 to 10 on each indicator. Ranks for each school were summed to create a restaurant intolerance score. Lower scores indicate lower tolerance.	Recoded as a binary indicator with cutoff of median $\leq 0.4$ (median)

Supplementary Table II: Number of missing values for each of the variables by survey

Survey cycle	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
Family stress, n	25	39	45	381	35	41	124	97	26	36	38	31	26	25	17	31	15	20	25	2
Family stress, %	3.6	5.7	6.6	58.1	5.5	6.4	19.6	15.8	4.5	6.3	6.7	5.6	5.1	5	3.4	6.4	3.2	4.3	5.5	0.5
TV per week (hours), n	37	62	57	376	37	38	123	97	28	36	39	30	29	27	17	28	15	21	23	2
TV per week (hours), %	5.4	9.1	8.4	57.3	5.8	6	19.5	15.8	4.9	6.3	6.9	5.5	5.7	5.4	3.4	5.7	3.2	4.5	5	0.5
Participated in light physical activity, n	0	37	34	375	30	34	118	93	25	33	35	24	25	25	17	27	14	20	19	0
Participated in light physical activity, %	0	5.4	5	57.2	4.7	5.3	18.7	15.2	4.4	5.8	6.2	4.4	4.9	5	3.4	5.5	3	4.3	4.1	0
Participated in moderate physical activity, n	0	37	34	375	30	34	118	93	25	33	35	24	25	25	17	27	14	20	19	0
Participated in moderate physical activity, %	0	5.4	5	57.2	4.7	5.3	18.7	15.2	4.4	5.8	6.2	4.4	4.9	5	3.4	5.5	3	4.3	4.1	0
Participated in vigorous physical activity, n	0	37	34	375	30	34	118	93	25	33	35	24	25	25	17	27	14	20	19	0
Participated in vigorous physical activity, %	0	5.4	5	57.2	4.7	5.3	18.7	15.2	4.4	5.8	6.2	4.4	4.9	5	3.4	5.5	3	4.3	4.1	0
Depression symptoms, n	22	38	38	377	33	40	129	97	36	40	39	35	28	30	22	32	15	23	26	3
Depression symptoms, %	3.2	5.6	5.6	57.5	5.1	6.3	20.4	15.8	6.3	7.1	6.9	6.4	5.5	6	4.4	6.6	3.2	4.9	5.7	0.7
Non family-related stress, n	25	37	36	377	32	37	122	96	26	33	37	29	26	25	17	29	15	20	25	2
Non family-related stress, %	3.6	5.4	5.3	57.5	5	5.8	19.3	15.7	4.5	5.8	6.6	5.3	5.1	5	3.4	5.9	3.2	4.3	5.5	0.5
Single-parent family, n	23	37	36	375	33	36	121	95	26	37	41	31	25	30	19	34	17	23	24	5
Single-parent family, %	3.3	5.4	5.3	57.2	5.1	5.7	19.1	15.5	4.5	6.5	7.3	5.6	4.9	6	3.8	7	3.6	4.9	5.2	1.1
Parent(s) university-educated, n	0	37	34	375	30	34	118	93	45	33	35	24	141	25	17	27	96	20	19	0
Parent(s) university-educated, %	0	5.4	5	57.2	4.7	5.3	18.7	15.2	7.8	5.8	6.2	4.4	27.8	5	3.4	5.5	20.3	4.3	4.1	0
Parent(s) smoke, n	34	51	50	377	40	46	128	103	30	42	46	37	31	35	21	39	22	25	25	5
Parent(s) smoke, %	4.9	7.5	7.4	57.5	6.2	7.2	20.3	16.8	5.2	7.4	8.2	6.7	6.1	7	4.2	8	4.6	5.3	5.5	1.1
Sibling(s) smoke, n	7	42	34	375	57	43	118	93	25	33	35	24	25	25	17	27	14	20	20	2
Sibling(s) smoke, %	1	6.1	5	57.2	8.9	6.8	18.7	15.2	4.4	5.8	6.2	4.4	4.9	5	3.4	5.5	3	4.3	4.4	0.5
Friends smoke, n	22	39	36	375	32	38	119	93	30	35	39	30	26	29	20	30	16	23	21	2
Friends smoke, %	3.2	5.7	5.3	57.2	5	6	18.8	15.2	5.2	6.2	6.9	5.5	5.1	5.8	4	6.1	3.4	4.9	4.6	0.5
Worrying about weight, n	30	43	48	379	41	47	126	100	27	35	38	32	26	26	18	30	15	21	25	2

Worrying about weight, %	4.4	6.3	7.1	57.8	6.4	7.4	19.9	16.3	4.7	6.2	6.7	5.8	5.1	5.2	3.6	6.1	3.2	4.5	5.5	0.5
Tolerance, n	487	453	460	582	386	419	461	433	350	359	368	326	304	317	299	307	250	267	247	256
Tolerance, %	70.8	66.3	67.9	88.7	60.1	65.8	72.9	70.6	61	63.3	65.2	59.3	59.8	63.4	60.4	62.9	52.7	57.1	53.9	58.3
Use tobacco products other than cigarettes, n	38	48	50	380	45	50	140	111	42	45	53	42	36	36	33	36	24	33	35	18
Use tobacco products other than cigarettes, %	5.5	7	7.4	57.9	7	7.8	22.2	18.1	7.3	7.9	9.4	7.6	7.1	7.2	6.7	7.4	5.1	7.1	7.6	4.1
Novelty-seeking, n	688	683	677	656	642	637	632	613	574	484	564	550	508	32	495	488	474	22	458	439
Novelty-seeking, %	100	100	100	100	100	100	100	100	100	85.4	100	100	100	6.4	100	100	100	4.7	100	100
Impulsivity, n	688	683	677	656	642	637	632	613	574	484	564	550	508	35	495	488	474	23	458	439
Impulsivity, %	100	100	100	100	100	100	100	100	100	85.4	100	100	100	7	100	100	100	4.9	100	100
Self-esteem, n	688	683	677	656	642	637	632	524	574	567	564	36	508	500	495	488	474	468	458	439
Self-esteem, %	100	100	100	100	100	100	100	85.5	100	100	100	6.5	100	100	100	100	100	100	100	100
Other ND symptoms, n	137	168	189	435	159	194	290	256	195	201	218	201	184	193	191	194	155	191	176	170
Other ND symptoms, %	19.9	24.6	27.9	66.3	24.8	30.5	45.9	41.8	34	35.4	38.7	36.5	36.2	38.6	38.6	39.8	32.7	40.8	38.4	38.7
Self-medication, n	139	169	193	437	161	196	291	259	197	201	219	203	187	196	193	194	158	191	178	172
Self-medication, %	20.2	24.7	28.5	66.6	25.1	30.8	46	42.3	34.3	35.4	38.8	36.9	36.8	39.2	39	39.8	33.3	40.8	38.9	39.2
Withdrawal symptoms, n	141	168	190	436	160	195	291	260	198	201	218	201	185	197	194	195	155	192	180	170
Withdrawal symptoms, %	20.5	24.6	28.1	66.5	24.9	30.6	46	42.4	34.5	35.4	38.7	36.5	36.4	39.4	39.2	40	32.7	41	39.3	38.7
Teacher/school staff smoke often, n	688	683	677	656	642	637	632	613	574	567	564	464	508	500	495	29	474	468	458	2
Teacher/school staff smoke often, %	100	100	100	100	100	100	100	100	100	100	100	84.4	100	100	100	5.9	100	100	100	0.5
Cigarette package warnings make me afraid to smoke, n	688	683	677	656	642	637	632	613	574	567	564	550	508	500	495	33	474	468	458	4
Cigarette package warnings make me afraid to smoke, %	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	6.8	100	100	100	0.9
Cigarette ads make me want to smoke, n	688	683	677	656	642	637	632	613	492	567	564	550	106	500	495	488	474	468	458	439
Cigarette ads make me want to smoke, %	100	100	100	100	100	100	100	100	85.7	100	100	100	20.9	100	100	100	100	100	100	100
Asthma, n	688	683	677	656	642	637	632	524	574	567	564	41	508	500	495	48	474	468	458	20
Asthma, %	100	100	100	100	100	100	100	85.5	100	100	100	7.5	100	100	100	9.8	100	100	100	4.6
Overweight, n	38	683	677	656	642	637	632	613	574	567	564	46	508	500	495	488	474	468	49	439
Overweight, %	5.5	100	100	100	100	100	100	100	100	100	100	8.4	100	100	100	100	100	100	10.7	100
Alcohol use, n	29	41	47	378	37	41	129	104	36	39	45	34	31	31	24	33	24	23	29	8

Alcohol use, %	4.2	6	6.9	57.6	5.8	6.4	20.4	17	6.3	6.9	8	6.2	6.1	6.2	4.8	6.8	5.1	4.9	6.3	1.8
Participate in team sports, n	0	37	34	375	30	34	118	93	25	33	35	24	25	25	17	27	14	20	19	0
Participate in team sports, %	0	5.4	5	57.2	4.7	5.3	18.7	15.2	4.4	5.8	6.2	4.4	4.9	5	3.4	5.5	3	4.3	4.1	0
No. cigarettes smoked per month in past 3 months, n	33	47	54	377	44	53	131	105	38	49	58	44	38	42	36	48	32	37	41	23
No. cigarettes smoked per month in past 3 months, %	4.8	6.9	8	57.5	6.9	8.3	20.7	17.1	6.6	8.6	10.3	8	7.5	8.4	7.3	9.8	6.8	7.9	9	5.2
Illicit drug use, n <sup>a</sup>																				
Illicit drug use, % <sup>a</sup>																				
Age, n <sup>b</sup>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Age, % <sup>b</sup>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Sex, n <sup>b</sup>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Sex, % <sup>b</sup>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Language spoken at home, n <sup>b</sup>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Language spoken at home, % <sup>b</sup>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Tolerance of smoking at school, n <sup>b</sup>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Tolerance of smoking at school, % <sup>b</sup>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Tolerance of smoking in local corner stores, n <sup>b</sup>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Tolerance of smoking in local corner stores, % <sup>b</sup>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Tolerance of smoking in local restaurants, n <sup>b</sup>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Tolerance of smoking in local restaurants, % <sup>b</sup>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

<sup>a</sup> Reporting missing values for DRUG is somehow problematic since it was not derived from a question from survey 1 to 20 but created from questions that were part of survey 21. These questions were used to identify the age at which participants used drugs for the first time and the variable DRUG was created from that age. DRUG is a binary indicator that takes the value of 0 if the participant has not initiated the use of drugs at the time of the survey and 1 otherwise. Out of the 706 participants, 225/706 = 31.9% had missing value for the drug related questions in survey 21.

<sup>b</sup> No missing data